

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
6	31	@ad<19990819 and client and server and font with match\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 12:57
7	2	("5533174").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 13:49
8	2	@ad<19990819 and font with determin\$ same image with edit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 15:17
9	2864	@ad<19990819 and font with determin\$ and image nea redit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 15:17
10	9	@ad<19990819 and font with determin\$ and image near edit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 15:17
-	30111	@ad<19990819 and client and server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 14:06
-	1712	@ad<19990819 and 709/203.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 14:06
-	12	@ad<19990819 and client and server and font same search and font same transmit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 14:10
-	33	@ad<19990819 and client and server and font same (reconcil\$ or synchroniz\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 14:17
-	2	@ad<19990819 and client and server and search with (install\$ or availab\$ or present) with font	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 15:23
-	5	@ad<19990819 and client and server and search with (install\$ or availab\$ or present) same font	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 15:23
-	166	@ad<19990819 and client and server and font same list and receiv\$ and transmi\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 15:26
-	10	client and server and search with (install\$ or availab\$ or present) same font	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 15:26
-	21	client and server same search with font	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 15:26

-	394	@ad<19990819 and client and server same font	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 15:26
-	212	@ad<19990819 and client same font and server same font	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 15:27
-	70	@ad<19990819 and client same font and server same font and search and store\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 15:31
-	34	@ad<19990819 and client and server and font with search	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 15:44
-	3	@ad<19990819 and 709/203.ccls. and font with search	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 15:15
-	0	@ad<19990819 and 709/203.ccls. and font same transmi\$ same receiv\$ same search	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 15:57
-	1412	@ad<19990819 and (709/203.ccls. or (client and server)) and font	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 15:58
-	105	@ad<19990819 and (709/203.ccls. or (client and server)) and font same (store or stored or storing) same client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 12:57
-	6	@ad<19990819 and (709/203.ccls. or (client and server)) and font same (store or stored or storing) same client same search	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 16:05
-	0	@ad<19990819 and 709/203.ccls. and 715/542.ccls. and 358/11.15.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 16:05
-	0	@ad<19990819 and 709/203.ccls. and 715/542.ccls. and 358/1.15.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 16:06
-	0	@ad<19990819 and 709/203.ccls. and 715/542.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 13:49
-	367	@ad<19990819 and font and server and client and search and transmit and receive and data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 16:10
-	362	@ad<19990819 and font and server and client and search and transmit and receive and data and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 16:11

-	6	@ad<19990819 and font and server and client and search and transmit and receive and data and network and report with fonts	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 16:20
-	13	@ad<19990819 and font and server and client and search and report with fonts	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 10:43
-	2	("5,533,174").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 12:05
-	5492	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 12:06
-	108	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and client and server and font	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 12:12
-	21	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and client and server and font and search	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 12:20
-	1	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and client and server and font with stored with client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 12:35
-	1	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and client and server and font with stored same client same server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 13:34
-	1	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and font with stored same client same server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 12:36
-	0	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and font with search with client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 12:36
-	1	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and font with search same client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 12:42
-	4	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and font and client and server and search and receive and transmit and store with client and report	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 12:45
-	2	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and font near list with client and font near list with server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 12:48
-	1756911	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and (search or find) near fonts with store\$ near\$ client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 12:48

-	1756911	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and (search or find) near fonts with store\$ near\$ client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 12:49
-	1756911	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and (search or find) near font with stored near\$ client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 12:49
-	0	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and (search or find) near font with stored near client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 12:49
-	0	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and (search or find) near font with store\$ near client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 12:50
-	0	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and (search or find) with font with store\$ with client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 12:50
-	0	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and (search or find) with font same store\$ with client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 12:50
-	18	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and (search or find) with font same store\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 12:52
-	261	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and (search or find) and (font same store\$ same server) or (font same store\$ same client)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 12:53
-	3	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and (search or find) and (font same store\$ same server) and (font same store\$ same client)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 12:56
-	0	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and server with (search or find) with font near client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 13:10
-	1	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and client same (transmit or send) with list near font and server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 13:10
-	2	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and client same (transmit or send) with list near font	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 13:11
-	1	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and server same (search or match or compar\$) with font and store\$ near client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 13:12
-	2	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and server same (search or match or compar\$) with font	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 13:14

-	9	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and (search or match or compar\$) with font and client and server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 13:28
-	128	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and (search or match or compar\$) with font	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 13:20
-	1	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and (search or match or compar\$ or reconcil\$ or synchroniz\$) with font same client same server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 13:29
-	1	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and (search or match or compar\$ or reconcil\$ or synchroniz\$) same font with client and font with server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 13:30
-	1	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and (search or match or compar\$ or reconcil\$ or synchroniz\$) same font with client and (358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and (search or match or compar\$ or reconcil\$ or synchroniz\$) same font with server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 13:30
-	1	(358/1.15.ccls. or 358/1.19.ccls. or 358/1.11.ccls.) and @ad<19990819 and (search or match or compar\$ or reconcil\$ or synchroniz\$) same font with server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 13:34
-	5	("5138696" "5167013" "5206736" "5293587" "5301267").PN.	USPAT	2004/08/11 13:31
-	23	5533174.URPN.	USPAT	2004/08/11 13:31
-	18	5533174.URPN. and @ad<19990812	USPAT	2004/08/11 13:34
-	1	@ad<19990819 and client with (send\$ or tramsit\$) and list near font and server with (search or match or compar\$ or reconcil\$ or synchroniz\$) with list	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 13:35
-	7	@ad<19990819 and client with (send\$ or tramsit\$) and list near font and server with (search or match or compar\$ or reconcil\$ or synchroniz\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 13:46
-	79	@ad<19990819 and font with list and client and server and (match or compar\$ or reconcil\$ or agree or concurr)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 13:54
-	21	@ad<19990819 and font with list and (client or workstation) same server same (match or compar\$ or reconcil\$ or agree or concurr)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 13:54

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	177	server\$2 NEAR2 font\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/12 10:38
L2	54	1 NEAR20 client\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/12 10:38
L3	11	1 NEAR20 client\$2 NEAR20 transmit\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/12 10:39
L4	5	((font! OR fonts!) NEAR20 client\$2 NEAR20 server\$2 NEAR20 correspond\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/12 10:41
L5	2	((font! OR fonts!) NEAR5 (user\$2 OR PC! OR workstation\$2 OR client\$2)) SAME (server\$2 NEAR20 correspond\$5 NEAR20 font\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/12 10:42
L6	29	((font! OR fonts!) NEAR5 server\$2) SAME ((user\$2 OR PC! OR workstation\$2 OR client\$2) NEAR5 ((download\$5 OR down-load\$5) NEAR20 (server\$2 OR correspond\$5 OR font\$2)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/12 10:53
L7	4	((font! OR fonts!) NEAR5 server\$2) SAME (client\$2 NEAR5 font\$2) SAME capable!	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/12 10:54
L8	5	(capable! NEAR5 server\$2) SAME (client\$2 NEAR5 font\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/12 10:54